Colorstar

LOGO MAT • INDOOR











WHY CHOOSE THIS MAT?

ColorStar mats feature your custom logo or artwork digitally printed on recycled PET material. Choose from 66 standard color options.

- The top layer of the mat contains **100% recycled PET material**
- Photographic Print Quality
- Incredible **stain resistance**: no cross staining, easy to clean
- Produced within **24 hours**
- Also available as unicolor mat

















SPECIFICATIONS

Yarn

100% post-consumer recycled PET fibers, twisted and heat-treated

- **Yarn weight:** 900 g/m²

Backing

- **Primary backing:** 100% recycled PET non-woven
- **Rubber backing:** 100% nitrile rubber with 34% post-industrial recycled content in the polymer - For maximum oil resistance, durability, and performance. - Compression-molded with reinforced borders on all four sides
- **Thickness:** 1.5 mm - Also available in 3mm rubber backing

Border

- **Thickness:** 2.5 mm
- **Width**: 2 cm

Other properties

- **Pile thickness:** 11 mm
- **Total weight:** 2,9 kg/m²

Safety

- **Static control:** ISO 6356 (2012) Determination of the static electrical propensity – walking test: -0.3 kVolts. Satisfies IBM test requirements
- **Flammability**: Cfl / s1 according EN 13501-1. Passes BS 4790 (1987) determination of the flammability of textile floor coverings: Low radius of effects of ignition.

Recommended use

Recommended for indoor commercial use at entryways, in lobbies, at front desks or anywhere you want to display your company logo, slogan, artwork, or message to customers/visitors or employees

STANDARD SIZES

60x85	75x85	85x115	85x150
85x300	115x180	115x200	115x240
115x250	115x300	150x200	150x240
150x250	150x300	200x200	200x300

SPECIAL SIZES

Max. size: 200 cm x 550 cm

Size Tolerance: +/- 2%
Weight Tolerance: +/- 5%

COLOURS



How much plastic bottles do we save?

60 x 85	→	33
75 x 85	→	41
85 x 115	→	62
85 x 150	→	82
85 x 300	→	164
115 x 180	→	132

115 x 200	→	147
115 x 240	→	176
115 x 250	→	192
115 x 300	→	221
150 x 200	→	192
150 x 240	→	230

150 x 250	→	240
150 x 300	→	288
200 x 200	→	256
200 x 300	→	384

CLEANING INSTRUCTIONS



Colorstar mats can be cleaned in several different ways:

1. They can be commercially laundered (see Laundering Instructions)
2. Vacuumed regularly (daily in high-traffic areas; weekly in lower-traffic applications)
3. Cleaned with an extractor, or hosed off as necessary to remove heavy soil

Hang to dry. Mats should always be dry before they are placed back in service.

Laundering Instructions

1. Flush, 2-3 Min. on a medium water level with a maximum temperature of 49ºC
2. Flush (optional), 2-3 Min. on a medium water level with a maximum temperature of 49ºC
3. Break, 2-3 Min. on a high water level with a maximum temperature of 49 ºC
4. Rinse, 2 Min. on a high water level with cold temperature
5. Rinse, 2 Min. on a high water level with cold temperature
6. Extract on low speed, 1-2 Min.
7. Shake out with the drum turning, 1 Min.
8. Extract, on a maximum of 250G, 3-5 Min.
9. Dry (optional), 5-10 Min. with a maximum basket temperature of 82 ºC
10. Cool down, 5 Min.

Additional recommendations

- For Heavy Soiled Mats, increase the temperature up to max. 60ºC.
- The wash or rinse baths should have a pH between 6 and 9.5; use low pH non-ionic detergents.
- Do not overdry mats; Basket-temperature of the dryer should not exceed 82 ºC.
- If mats are not dried, the final rinse can be increased to 49 ºC. This will reduce moisture retention following extraction.
- Lay mats flat following removal from washer; allow mats to cool before rolling.