


swiss deck<sup>®</sup>



modular flooring system



## Index

- 04. Swiss design and Dutch precision
- 06. Balconies
- 08. Corridors
- 10. Garages
- 12. Outdoors
- 14. Commercial floors
- 16. RibDeck
- 18. DiamondDeck
- 19. CoinDeck
- 19. FloorDeck
- 20. SportDeck
- 21. Logo tegels
- 22. Installation and maintenance + guarantee
- 24. Accessoires
- 25. Cradle to cradle
- 26. Technical specifications
- 27. Available colors





## Swiss design and Dutch precision

SwissDeck is a modern, dynamic company that is dedicated to the development, production and sale of synthetic floor tiles. SwissDeck offers a user-friendly and modern floor finish as an alternative to the epoxy floors that are widely used in, for example, garages, balconies and corridors.

The development and production of the tiles started more than 30 years ago in Switzerland. SwissDeck has its own molds for the production of all types of tiles.

### Perfect and balanced production.


Due to the very high accuracy and precision that we apply to our products, we may speak of Dutch quality. We believe that the label "made in Holland" conveys a reliable feeling and quality.

We are very proud of our own unique design and high quality. Our products are therefore not comparable to alternative products offered in the market.



All SwissDeck floor tiles are "Made in Holland"








## Balconies

SwissDeck floors are perfect for covering your terrace, balcony or patio. The RibDeck tiles can be laid on any hard surface, are color solid and can withstand large temperature differences. The top has a non-slip surface which ensures a safe floor in wet conditions. The tiles are easy to clean by rinsing with water. The RibDeck tiles have an open profile and a draining underside that allows (rain) water to drain away quickly. For the edges and corners there are finishing edges and corner pieces available in the same color.

### Complete metamorphosis for your balcony

SwissDeck offers the ideal way to give your balcony a complete metamorphosis within a few hours. A boring, gray concrete floor is transformed into a chic and inviting balcony floor that you will enjoy for years. The tiles can be disassembled and when you relocate you can simply take them with you.










# Corridors

It seems like an impossible task to provide a gallery with a very solid non-slip floor finish. In the past, the epoxy solution was often chosen. RibDeck tiles are designed to provide a high quality non-slip solution. A major advantage is that the (RibDeck) tiles can be laid, while the gallery remains passable.

## Fire Classification

Because many corridors require a fire rating, SwissDeck has developed a raw material that gives the special FireDeck tile a very high fire rating "Cfl -S1" and yet weighs less than 3.5 kg per m<sup>2</sup>.

All SwissDeck tiles are slip-resistant, shock-resistant, strong, color solid, durable and 100% recyclable. Meanwhile, the lightweight RibDeck and FireDeck tiles have become well known for non-slip and safety for balconies and corridors.





## Garage

SwissDeck offers several polypropylene floor tiles in various designs that are ideally suited for garages. The tiles are easy to lay on any hard surface and easy to cut. The garage floor tiles can also be processed into individual mats for under the car or motorcycle.

### Highly wear-resistant and easy to clean

It is important for tiles in a garage to be able to withstand rough handling. SwissDeck tiles are highly resistant to rolling and have an overrun weight of up to 25.000 kg. The non-slip surface of SwissDeck tiles is resistant to gasoline, oils, acids and chemicals.

In addition, the tiles are wear-resistant and easy to clean with water.

You have the guarantee that the floor will last for years and keep its good looks.









## Outdoors

SwissDeck tiles are the ultimate solution for finishing damaged and dirty floors or terraces in a beautiful and clean way.

Already a large number of people have chosen SwissDeck. Not only because of the ease of installation but also because of the solidity and high quality of our tiles. SwissDeck offers you everything you need to finish your floor in a neat and tidy way. With 5 different designs and 14 standard colors, there is a solution for every floor.

### **Money-back guarantee**

If it's not quite to your satisfaction, we'll simply exchange the tiles, or even give you your money back.



# Commercial vloeren

SwissDeck floors look attractive, making them ideal for catching the attention of potential customers to your business and your products. The floor tiles can be laid in any color or pattern so that the floor matches your product perfectly. Besides, it is possible to place your logo in the (trade show) floor tiles for an extra professional look.

## Your stand becomes a true eye-catcher

It is important that your exhibition stand is noticed among all the other exhibition stands. The unique and sleek look makes your exhibition stand a real eye-catcher. The tiles are lightweight, compact and can be disassembled. This makes the booth easy to move and saves you a lot of time and labour. SwissDeck supplies various floor tiles in different colors as a good surface for exhibition stands. The floor tiles are strong enough to place the (standard) exhibition stands directly on them and to create a beautiful finish.







## All-round

The most popular tile in the SwissDeck range is our RibDeck tile. This tile is easy to maintain, non-slip and visually very attractive. The surface, with its self-draining and dirt-permeable properties, has exactly the right characteristics to make this tile suitable for both indoor and outdoor use. In addition, it is possible to combine all tiles with each other. This makes it possible to create your own design and preferences.

### Blocked design, beautiful and modern.

RibDeck is so popular in part because its design gives the tile multiple shades of color, as the round ribs are placed at right angles to each other. It gives the tile the beautiful block effect, creating its distinctive look.




### Applications

- Balconies
- Corridors
- Garages
- Patios
- Showrooms
- Events
- Car and motorsport

And many more applications where a heavy-duty floor finish is required, such as in aircraft hangars.







# diamond deck<sup>®</sup>

## Strong and reliable

DiamondDeck tile is our most popular enclosed tile and is intended for applications such as garage floors and workshops where an attractive, non-slip, enclosed surface is mostly required. The DiamondDeck floor tile is a synthetic tile with a diamond plate design for indoor use. These tiles are ideal for an exhibition stand, showroom, car show, store, garage and anywhere else a strong and practical floor is required.

### Applications

- Garages
- Showrooms
- Events
- Displays



coin **deck**<sup>®</sup>

## Studded surface

CoinDeck is a non-slip tile with a closed surface and a low studded profile. The tiles are often used for showrooms and event floors, among others. CoinDeck is a favorite tile for anyone looking for a closed tile with a traditional look. The tile has low studs, or a so-called "circle profile".

### Applications

- Events
- Shops
- Showrooms
- Sport schools and Fitness centres
- Offices



floor **deck**<sup>®</sup>

## Plane surface

FloorDeck is our flattest tile and is widely suitable for use on dance floors, among other things. FloorDeck is the floor tile of choice when it comes to a flat finish where manoeuvrability is required. The tile is often used in combination with our other tiles where, for example, office chairs must be able to roll easily and the floor can be cleaned easily.

### Applications

- Offices
- Showrooms
- Events
- Sport schools and Fitness centres
- Dance floors




## Multifunctional

The SportDeck tile is perfect for temporary or permanent sports floors. The tile has an open surface that allows dirt and dust to be removed quickly and easily. Therefore, the surface of the tile remains safe and clean during sports. In addition, the floor provides excellent grip for various sports due to the non-slip application on the tile. The SportDeck floor tiles are suitable for both indoor and outdoor use.


### Applications

- Basketball
- Tennis / Badminton
- Fitness
- Volleyball
- Balconies
- Swimming pool / sauna



# Logo tegels

There are two options for incorporating the/your logo into one or more tiles. The first possibility is that the logo is sublimated onto an aluminum plate. The second possibility is that the logo is cut out in plexiglass. Then the logo is milled into the tile, making the logo even with the tile surface. It is a wonderful option to give your floor an extra attention value.



# Installation and maintenance

SwissDeck produces high-quality floors that are easy to install and maintain. With 20 joints per tile, the tiles click together almost seamlessly.

In a short time you can transform your floor into a work of art.



The maintenance of these floor tiles is very easy, this can be done by rinsing them with clean water, possibly in combination with a household cleaning product.




# Guarantee

SwissDeck offers a 15-year limited warranty on all types of tiles for non-commercial use. All plastic products are sensitive to UV light. Because we add UV protectors to the raw material of our tiles, we can therefore give a 3-year warranty on discoloration. Our sales outlets employ professional staff who can answer all your questions quickly and accurately. For private customers, we even offer a 30-day money-back guarantee for unused tiles.

Swiss design and a Dutch production guarantees quality. Our floor tiles are produced with the latest technologies and by using the purest raw materials we can offer the quality you demand from such a floor tile. If there are any questions regarding the limited warranty, please contact SwissDeck Europe, your local SwissDeck dealer or visit our website.






## Dilatation profile



The dilatation profile is developed to accommodate expansion differences. These can occur when SwissDeck tiles are used on long corridors, or on large surface areas where the tiles are exposed to large temperature differences (mainly outdoors). The dilation profiles are fixed to a tile on one side and placed on top of the tile on the other side so that it can take up the expansion or contraction of the tiles. The dilation profiles are available in the same color as the tiles and are compatible with all types of tiles.



## Finishing edges and corners



To finish SwissDeck floors properly, edge profiles and corner pieces are available for all types of SwissDeck floor tiles.



## Rubber layer



To protect your existing roofing such as bitumen, we recommend using a rubber underlayment. This 3 mm thick, water-permeable rubber carpet pad, is produced from 100% recycled rubber. This can also be used as a sound-absorbing underlay for all types of SwissDeck tiles.








## Cradle to Cradle

The ultimate form of sustainable business is Cradle to Cradle. This means that the raw materials we use can be completely reused, without losing their value to an unlimited circulation.

SwissDeck floor tiles are made of pure polypropylene, which makes them 100% recyclable. All the (cut) waste from the SwissDeck tiles is shredded (= crushed) under our own management and returned to raw material.

We use the raw material to produce new tiles. The raw material is also used for 3D printing.

In addition, we are constantly looking for recycled plastic materials that we can apply to produce tiles. In this way, we want to contribute to a green future.





Type	rib deck	diamond deck	coin deck	floor deck	sport deck
Size	33 x 33 cm	33 x 33 cm	33 x 33 cm	33 x 33 cm	33 x 33 cm
Thickness	12 mm	13 mm	12 mm	12 mm	12 mm
Weight	315 gram	502 gram	494 gram	519 gram	405 gram
Material	polypropylene co-polymer	polypropylene co-polymer	polypropylene co-polymer	polypropylene co-polymer	polypropylene co-polymer
Pressure	Up to 20.000 kg per m <sup>2</sup>	Up to 25.000 kg per m <sup>2</sup>	Up to 25.000 kg per m <sup>2</sup>	Up to 25.000 kg per m <sup>2</sup>	Up to 25.000 kg per m <sup>2</sup>
Temperature resistance	-20°C tot +70°C	-20°C tot +70°C	-20°C tot +70°C	-20°C tot +70°C	-20°C tot +70°C
Melting point	160 degrees celcius	160 degrees celcius	160 degrees celcius	160 degrees celcius	160 degrees celcius
Resistance to chemicals	UV stabilized material	UV stabilized material	UV stabilized material	UV stabilized material	UV stabilized material
Resistance to oil, fuel and other (car) liquids	excellent	excellent	excellent	excellent	excellent
Resistance to acids / solvents	good	good	good	good	good
Available colours	Pearl Silver Slate Grey Pearl Grey Jet Black Racing Red Turf Green Terracotta Chocolate Brown Midnight Blue Iceland Blue Ivory Citrus Yellow Tropical Orange Arctic White	Pearl Silver Slate Grey Pearl Grey Jet Black Racing Red Turf Green Terracotta Chocolate Brown Midnight Blue Iceland Blue Ivory Citrus Yellow Tropical Orange Arctic White	Pearl Silver Slate Grey Pearl Grey Jet Black Racing Red Turf Green Terracotta Chocolate Brown Midnight Blue Iceland Blue Ivory Citrus Yellow Tropical Orange Arctic White	Pearl Silver Slate Grey Pearl Grey Jet Black Racing Red Turf Green Terracotta Chocolate Brown Midnight Blue Iceland Blue Ivory Citrus Yellow Tropical Orange Arctic White	Pearl Silver Slate Grey Pearl Grey Jet Black Racing Red Turf Green Terracotta Iceland Blue Arctic White



RVS /  
Pearl Grey

Zwart /  
Jet Black

Grijs /  
Slate Grey

Rood /  
Racing Red

Groen /  
Turf Green

Licht  
Bruin /  
Terracotta

Donker  
Bruin /  
Chocolate  
Brown

Donker  
Blauw /  
Midnight  
Blue

Licht  
Blauw /  
Iceland  
Blue

Creme /  
Ivory

Zilver /  
Pearl Silver

Geel /  
Citrus  
Yellow

Oranje /  
Tropical  
Orange

Wit /  
Arctic  
White